



**Glo-Quartz® Incorporated**  
 1550 S. Euclid Ave., Tucson, AZ 85713  
 520-792-2331 1-800-423-4078  
[info@gloquartz.com](mailto:info@gloquartz.com)

DESCRIPTION OF HEATERS	KW	IMMERSION (IN)	PHASE	COMPATABLE			
				120V	240V		
				110/120V CONTROLLER	208/240V CONTROLLER		
1 1/4" BSPP	1	6	1	PGSA-1A6-E1	T2A	PGSA-1DD8-E1	T2A
304 SS	1.5	8	1	PGSA-15A8-E1		PGSA-15DD12-E1	
SCREWPLUG	2	10	1	PGSA-2A10-E1		PGSA-2DD15-E1	
(3) .315" Dia	2.5	12	1			PGSA-25DD18-E1	
304 SS	3	15	1			PGSA-3DD21-E1	
ELEMENTS	4.5	21	1			PGSA-45DD21-E1	
NEMA 1	6	27	1		TC1-330	PGSA-6DD27-E1	
TERMINAL HOUSING							
40 W/SQ.IN.							

THE CONTROLLERS HAVE AN ANALOG 60-250F STAT, FOR DIGITAL CHANGE TC1 TO TCD  
 SEE "THERMOSTATS AND TERMINAL BOX OPTIONS" PAGE FOR OTHER HOUSING VARIATIONS

ALTERNATE VOLTAGE CODES, REPLACE BLUE LETTERS IN THE P/N WITH CODES BELOW	
A=120/1	HH=415/3
B=208/1	I=440/1
C=208/3	J=440/3
D=220/1	Q=460/1
E=220/3	QQ=460/3
BB=230/1	II=480/1
CC=230/3	JJ=480/3
DD=240/1	K=550/1
EE=240/3	L=550/3
F=277/1	KK=575/1
G=380/1	LL=575/3
H=380/3	M=600/1
GG=415/1	N=600/3

DESCRIPTION OF HEATERS	KW	IMMERSION (IN)	PHASE	COMPATABLE			
				120V	240V		
				110/120V CONTROLLER	208/240V CONTROLLER		
1 1/4" BSPP	1	6	1	PGSB-1A6-E1	T2A	PGSB-1DD8-E1	T2A
304 SS	1.5	8	1	PGSB-15A8-E1		PGSB-15DD12-E1	
SCREWPLUG	2	10	1	PGSB-2A10-E1		PGSB-2DD15-E1	
(3) .315" Dia	2.5	12	1			PGSB-25DD18-E1	
316 SS	3	15	1			PGSB-3DD21-E1	
ELEMENTS	4.5	21	1			PGSB-45DD21-E1	
NEMA 1	6	27	1		TC1-330	PGSB-6DD27-E1	
TERMINAL HOUSING							
40 W/SQ.IN.							



**Glo-Quartz® Incorporated**  
 1550 S. Euclid Ave., Tucson, AZ 85713  
 520-792-2331 1-800-423-4078  
[info@gloquartz.com](mailto:info@gloquartz.com)

DESCRIPTION OF HEATERS	KW	IMMERSION (IN)	PHASE	COMPATABLE			
				120V 110/120V CONTROLLER	240V 208/240V CONTROLLER		
1 1/4" BSPP 304 SS SCREWPLUG (3) .315" Dia ALLOY 800 ELEMENTS NEMA 1 TERMINAL HOUSING 40 W/SQ.IN.	1	6	1	PGN-1A6-E1	T2A	PGN-1DD8-E1	T2A
	1.5	8	1	PGN-15A8-E1		PGN-15DD12-E1	
	2	10	1	PGN-2A10-E1		PGN-2DD15-E1	
	2.5	12	1			PGN-25DD18-E1	
	3	15	1			PGN-3DD21-E1	
	4.5	21	1			PGN-45DD21-E1	
	6	27	1		TC1-330	PGN-6DD27-E1	

THE CONTROLLERS HAVE AN ANALOG 60-250F STAT, FOR DIGITAL CHANGE TC1 TO TCD  
 SEE "THERMOSTATS AND TERMINAL BOX OPTIONS" PAGE FOR OTHER HOUSING VARIATIONS

ALTERNATE VOLTAGE CODES, REPLACE BLUE LETTERS IN THE P/N WITH CODES BELOW	
A=120/1	HH=415/3
B=208/1	I=440/1
C=208/3	J=440/3
D=220/1	Q=460/1
E=220/3	QQ=460/3
BB=230/1	II=480/1
CC=230/3	JJ=480/3
DD=240/1	K=550/1
EE=240/3	L=550/3
F=277/1	KK=575/1
G=380/1	LL=575/3
H=380/3	M=600/1
GG=415/1	N=600/3